DOCUMENT RESUME

ED 043 239 EM 008 488

AUTHOR	Feurzeig, Wallace; And Others
TITLE	SIMON: A Simple Instructional Monitor. Technical Report.
INSTITUTION	Bolt, Beranek and Newman, Inc., Cambridge, Mass.
SPONS AGENCY	Office of Naval Research, Washington, D.C. Personnel and Training Research Programs Office.
PUB DATE	1 Aug 70
NOTE	32p.
EDRS PRICE	EDRS Price MF-$0.25 HC-$1.70
DESCRIPTORS	*Computer Assisted Instruction, *Computer Programs, *Feedback, *Programing, Programing Languages
IDENTIFIERS	SIMON, Simple Instructional Monitor

ABSTRACT

An instructional monitor is a program which tries to detect, diagnose, and possibly help overcome a student's learning difficulties in the course of solving a problem or performing a task. In one approach to building an instructional monitor, the student uses a special task- or problem-oriented language expressly designed around some particular class of problems. Correspondingly, the diagnostic programs in this "special purpose" type of monitor system often utilize information that is specific to the kind of problem being studied. In the SIMON system a different kind of experimental approach has been taken. The student addresses SIMON in an easy and very general programing language rather than a special task language. Using SIMON, students construct programs for systems or processes which can represent vastly different situations whether from mathematics, biology, physics, engineering, or elsewhere. The student tests his program against a "true" program provided to SIMON by an instructor. At the student's request, SIMON tests his program against its "true" model to determine if it works. If not, SIMON points out where and why it does not. (Author/MF)

ED043239

BOLT BERANEK AND NEWMAN INC

TECHNICAL MEMORANDUM

SIMON - A Simple Instructional Monitor

Wallace Feurzeig
and
Paul M. Wexelblat

Bolt Beranek and Newman Inc.
50 Moulton Street
Cambridge, Massachusetts 02138

Ronald C. Rosenberg

Dept. of Mechanical Engineering
Michigan State University
East Lansing, Michigan 48823

August 1, 1970

Sponsored by
Personnel and Training Research Programs
Psychological Sciences Division
Office of Naval Research
Arlington, Virginia 22217

Contract No. N00014-69-C-0127
NR No. 154-285

EM008488

This document has been approved for public release and sale; its distribution is unlimited.

Reproduction in whole or in part is permitted for any purpose of the United States Government.

+3

ED 043239

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY *(Corporate author)*
Bolt Beranek and Newman Inc.
50 Moulton Street
Cambridge, Mass. 02138

2a. REPORT SECURITY CLASSIFICATION
UNCLASSIFIED

2b. GROUP

3. REPORT TITLE
SIMON - A Simple Instructional Monitor

4. DESCRIPTIVE NOTES *(Type of report and inclusive dates)*
Technical Report - August 1, 1970

5. AUTHOR(S) *(First name, middle initial, last name)*
Wallace Feurzeig
Paul M. Wexelblat
Ronald C. Rosenberg

6. REPORT DATE
August 1, 1970

7a. TOTAL NO. OF PAGES
21

7b. NO. OF REFS

8a. CONTRACT OR GRANT NO.
NONR-4340(00) and N00014-69-C-0127

b. PROJECT NO.
NR 154-285

c.

d.

9a. ORIGINATOR'S REPORT NUMBER(S)

9b. OTHER REPORT NO(S) *(Any other numbers that may be assigned this report)*

10. DISTRIBUTION STATEMENT
This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted for any purposes of the United States Government.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY
Personnel and Training Research Programs
Office of Naval Research
Arlington, Virginia 22217

13. ABSTRACT

An instructional monitor is a program which tries to detect, diagnose, and possibly help overcome a student's learning difficulties in the course of solving a problem or performing a task. In one approach to building an instructional monitor, the student uses a special task- or problem-oriented language expressly designed around some particular class of problems. Correspondingly, the diagnostic programs in this "special purpose" type of monitor system often utilize information that is specific to the kind of problem being studied. In the SIMON system we have taken an experimental approach of a different kind. The student addresses SIMON in an easy and very general programming language rather than a special task language. Using SIMON, students construct programs for systems or processes which can represent vastly different situations whether from mathematics, biology, physics, engineering, or elsewhere. The student tests his program against a "true" program provided to SIMON by an instructor. At the student's request, SIMON tests his program against its "true" model to determine if it works. If not, SIMON points out cases where the program fails and, if requested, informs the student which variables he has chosen that are inappropriate to the process.

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
OFFICE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY.

SIMON - A Simple Instructional Monitor

Wallace Feurzeig
and
Paul M. Wexelblat

Bolt Beranek and Newman Inc.
50 Moulton Street
Cambridge, Massachusetts 02138

Ronald C. Rosenberg

Dept. of Mechanical Engineering
Michigan State University
East Lansing, Michigan 48823

August 1, 1970

Sponsored by
Personnel and Training Research Programs
Psychological Sciences Division
Office of Naval Research
Arlington, Virginia 22217

Contract No. N00014-69-C-0127
NR No. 154-285

This document has been approved for public release and sale; its distribution is unlimited.

Reproduction in whole or in part is permitted for any purpose of the United States Government.

1. Introduction

Computers are used for instruction almost entirely in one of two distinct ways - either the student programs the machine or the machine programs the student. Certainly it is possible in principle to realize other kinds of instructional situations. Thus, for example, we would like to use the computer to monitor a student's work while he is freely programming the machine, just as an intelligent human teacher invites feedback from a student rather than always preempting him.

The image we start with, then, is the following. The student performs a task through using the machine. The machine knows what the student is trying to do and, in particular, is informed about how to tell whether an attempt is succeeding or failing. So, while the student carries out a series of operations and procedures on the machine, hopefully directed toward his goal, the machine follows the student's steps even though these had not been specifically anticipated, and attempts to diagnose his difficulties on the way.

A program of this kind is called an *instructional monitor*. There are many ways of designing such programs. For example, a monitor can be operating while the student is working (on-line) or just afterwards (post-mortem). Monitors can be told a lot or a little about the kinds of difficulties students might have and/or how to know them and/or how to diagnose their probable sources in his faulty conceptualization or articulation, and/or how to generate testable hypotheses about a student's conceptual "bugs" or "hang-ups." And so on.

Another way of characterizing monitors is in terms of the kind of languages used by the student and by the monitor program. These languages can be task languages highly specific to the class of problems being worked on. Thus, tasks like those of flying an airplane (in simulation) or designing an electrical circuit or solving a differential equation can be expressed in very different special languages. One can also take another line of approach in which the student (and the monitor) use a general-purpose programming language. The instructional monitor described here is of this kind.

2. An Easy Programming Language for Use in Teaching

Certain programming languages (such as Telcomp and BASIC) are easy to teach to anyone with a knowledge of school algebra and provide students with a fairly general facility for expressing a rich variety of mathematical procedures. Students have, in fact, used these languages to write programs for simulating the operations of many kinds of biological, chemical, physical, economic, linguistic, and other processes.

To illustrate how a student might use the Telcomp[1] programming language in describing a simple physical process, consider the following problem: How long does it take a bead of mass M to slide down a fixed, frictionless wire from an initial point (XØ,YØ) to the origin (Ø,Ø). The mathematical solution is

---

(1) Myer, T. H., *Telcomp Manual*, Bolt Beranek and Newman Inc., Cambridge, Mass. (1967)

$$T = \sqrt{2 \cdot S/ACC}$$

where $S = \sqrt{(X\emptyset)^2 + (Y\emptyset)^2}$

$$\theta = \arctan (Y\emptyset/X\emptyset)$$

$$ACC = |G \cdot \sin (\theta)|$$

and G is the gravitational constant.

Note that the mass (M) is not relevant.

The corresponding Telcomp program is:

```
1.1  S = SQRT ((XØ)↑2 + (YØ)↑2)
1.2  THETA = ATN (XØ,YØ)
1.3  ACC = 'G * SIN(THETA)'
1.4  T = SQRT (2 * S/ACC) IF YØ≠Ø
1.5  T = 1Ø↑36 IF YØ = Ø
```

Note that each instruction line is given a two-part identification number, and that * denotes multiplication, / denotes division, ↑ denotes exponentiation, and (in line 1.5) 10^{36} is used to express infinite time.

The program can be performed when the values of XØ, YØ, and G are provided. A final instruction line is added to type out the result, as follows:

```
1.6  TYPE T
```

The instructions are performed in numerical order from 1.1 through 1.6. Note that the program very closely matches the mathematical statement of the solution.

Our experience is that a student is much better served by attempting to write programs of this kind than by merely using the same programs freely provided by an instructor. At the same time, students are greatly helped in their efforts to make a proper formulation of their own programs if they have a valid program available to them as a "black box." By comparing the operation of the good program with their own they can see where their errors lie and, possibly, how to fix them.

3. A Simple But Fairly General Instructional Monitor

We have developed a simple instructional monitor, SIMON, to help students carry out this process. The student tries to develop a Telcomp program to solve a problem. The student's program is accessible to the monitor. The monitor guides the student in two main ways -- by providing the student with the use of a "good" program, and by commenting on the student's errors in his choice of variables for his own program.

A typical student interaction with SIMON proceeds along the following lines:

(1) the student is given a problem to program;

(2) he chooses the variables that he thinks relevant;

(3) he runs the valid program with various inputs of his own choosing;

(4) he attempts to develop his own program, testing it with inputs of his choice along the way;

(5) when the student is satisfied with his solution, he asks the monitor to check it.

The student can call upon any of the steps (2) through (5) in any order he chooses and as often as he wishes. The interaction continues in this way under the student's control until either the student's program is correct or no further help can be given by SIMON.

Figure 1 is a schematic diagram showing the major components of the SIMON system, and the principal flows of information.



⊗ Routing decisions made by an executive program.

Fig. 1. Diagram of SIMON information flow.

The figure shows that either SIMON or the student can initiate data for a problem trial, route it to either the monitor's program or the student's program, and direct the results to either

the monitor or the student. The student can say, for example, "You (SIMON) choose some trial data, try them with my program, and tell me the results." And the monitor can respond and report back "Your program appears to be right" or else "Your results do not match mine" and list some disagreements in the outputs of the two programs.

Some of the requests the student can make of SIMON are:

RUN YOU ... student asks monitor to run its program.
SELECT ... student selects relevant variables from monitor's list of allowable variable names.
COMPOSE ... student informs monitor that he wishes to create or to modify his own program.
RUN ME ... student asks monitor to run his program.
CHECK ME ... student asks monitor to check his program, listing the trial values used and results obtained.
HELP ME ... student asks monitor why his program failed the monitor's checking procedure.

4. An Example of a Student's Use of SIMON

To illustrate the use of the SIMON monitor, we again consider the sliding bead problem. The student is to develop a Stringcomp program that expresses a valid solution of the problem. The problem is given to the student along the following lines.

Bead on a Wire

A bead with a hole in it is free to slide on a piece of straight wire. If the wire is fixed in some position relative to the gravity field, how long will it take the bead to reach the end of the wire?

To discuss this problem, use the coordinates and names shown in Fig. 2 below.



Put the bead at some initial position (XØ, YØ), set the gravitational constant (G), and find the time (T) it takes for the bead to reach point 0. The mass of the bead is M.

When you think you can compute the time, write a program to do so and ask SIMON to check it for you.

Figure 2. Problem statement for a bead on a wire.

An illustrative run is shown in Fig. 3 in which student typing is either preceded by an asterisk or underscored. First, the student selects the variables that he thinks are relevant for the problem. Then he chooses input values for use with SIMON's "good" program and observes the results (i.e., the three "RUN YOU" requests in Fig. 3a).

He then attempts (see Fig. 3b) to write a program of his own ("COMPOSE") which he uses twice (the two "RUN ME" requests). Though the program is wrong, the results are correct with the inputs he has chosen. He next asks SIMON to check his program

("CHECK ME"), and his program produces erroneous results on the first set of trial values. At that point he seeks "HELP". SIMON exposes an error -- M (the mass) is not relevant to this problem.

In Fig. 3c, the student changes his choice of variables by eliminating M. He then modifies his program and runs it again. This time he tests his program on known values and results, is satisfied, and gets checked out successfully by SIMON. Notice that SIMON no longer asks for a value of M in operating either the student's program or its own.

BEAD ON A WIRE

(NOTE. XØ AND YØ MUST BE GREATER THAN OR EQUAL TO ZERO.
EXPRESS INFINITY AS 1Ø↑36)

```
*SELECT

SHALL I LIST THE LEGAL VARIABLE NAMES?  YES
XØ        INITIAL POSITION ON X AXIS
YØ        INITIAL POSITION ON Y AXIS
M         MASS OF BEAD
G         GRAVITATIONAL ACCELERATION
T         TIME
HOW MANY INPUT VALUES DO YOU THINK YOU WILL NEED?  4
LIST THEM
1 XØ
2 YØ
3 M
4 G

HOW MANY OUTPUT VARIABLE NAMES?  1
LIST IT
1 T
*RUN YOU

XØ=  5
YØ=  5
M=  1
G=  32

                T=        .79Ø5694
*RUN YOU

XØ=  1Ø
YØ=  1Ø
M=  1
G=  32

                T=        1.118Ø34
*RUN YOU

XØ=  5
YØ=  1Ø
M=  1
G=  32

                T=        .8838835
```

Fig. 3a

```
*COMPOSE

GO AHEAD

*1.1 S=SQRT(YØ↑2+XØ↑2)
*1.2 ACC=G/M
*1.3 T=SQRT(2*S/ACC) IF YØ<>Ø
*1.4 T=1Ø↑36 IF YØ=Ø
*1.5 TYPE T

*RUN ME

XØ= 5
YØ= Ø
M= 5
G= 32

YOUR PROGRAM---
            T=       1*1Ø↑36

*RUN ME

XØ= 1Ø
YØ= 1Ø
M= 1
G= 32

YOUR PROGRAM---
            T=       1.118Ø34

*CHECK ME

XØ=1
YØ=1
M=3
G=32

MY RESULTS:          YOUR RESULTS:
T=.3535534           .5149418
THESE DO NOT MATCH

*HELP ME
YOU SELECTED A VARIABLE THAT IS NOT RELEVANT.
YOU DO NOT NEED M
```

Fig. 3b

```
*SELECT

SHALL I LIST THE LEGAL VARIABLE NAMES?  NO
HOW MANY INPUT VALUES DO YOU THINK YOU WILL NEED?  3
LIST THEM
1 XØ
2 YØ
3 GRAV
GRAV ISN'T ON THE LIST
DO YOU WANT TO SEE THE LIST  NO
3 G

HOW MANY OUTPUT VARIABLE NAMES?  1
LIST IT
1 T
*COMPOSE

GO AHEAD

*1.Ø THETA=ATN(XØ,YØ)

*1.2 ACC='G*SIN(THETA)'

*RUN ME

XØ= 5
YØ= 1Ø
G=  32

YOUR PROGRAM---
            T=       .8838835

*CHECK ME

MY PROGRAM---
            T=       .3535534
YOUR PROGRAM---
            T=       .3535534

MY PROGRAM---
            T=       .559Ø17
YOUR PROGRAM---
            T=       .559Ø17

MY PROGRAM---
            T=       1*1Ø↑36
YOUR PROGRAM
            T=       1*1Ø↑36
YOUR PROGRAM APPEARS TO BE RIGHT
```

Comments

(He adds a new statement)

(This replaces previous line 1.2. The other instructions, in lines 1.1, 1.3, 1.4, 1.5, are unchanged.)

Fig. 3c

5. How the Teacher Sets Up SIMON

To describe a problem to SIMON, the instructor needs to provide four main kinds of information:

(1) a statement of the problem for the student at the start of the session;
(2) a list of the allowable variable names, indicating those variables actually relevant to the problem at hand, and which of them are inputs or outputs;
(3) a valid solution program; and
(4) information for checking the student's program (e.g., trial values, number of trials).

The first step after the problem description is to establish an appropriate list of variables, and to designate the relevant input and output variables. If problems of a related type have previously been described to SIMON, an appropriate variable list may already exist. The instructor may add to this list, edit it, or start anew. We illustrate using the bead problem.

```
WOULD YOU LIKE TO SEE THE CURRENT NAME LIST? NO

WILL YOU USE THIS LIST? NO

HOW MANY ENTRIES IN LIST OF POSSIBLE NAMES? 5

LIST NAME AND THEN COMMENT PLEASE

1 XØ      INITIAL POSITION ON X AXIS
2 YØ      INITIAL POSITION ON Y AXIS
3 M       MASS OF BEAD
4 G       GRAVITATIONAL ACCELERATION
5 T       TIME
```

All input and output variables must be taken from this list. When the student selects his input variables, they will be compared with entries in this list. SIMON will thereby find

any extra or missing variables. Next the input and output variables are specified.

```
LIST THE INPUT NAMES
1 XØ
2 YØ
3 G
4

LIST THE OUTPUT NAMES
1 T
2
```

The instructor then states which test cases he will use to give a reasonable check on the validity of the student's solution program, and provides the associated trial values. The "CHECK" request causes these trials to be run according to the checking rules given below.

```
HOW MANY TRIES? 5

TRY NO. 1
XØ=1
YØ=1
G=32

TRY NO. 2
XØ=Ø
YØ=5
G=32

TRY NO. 3
XØ=5
YØ=Ø
G=32

TRY NO. 4
XØ=-45
YØ=3Ø
G=32

TRY NO. 5
XØ=577
YØ=466
G=32
```

```
HOW MANY TIMES SHOULD I TRY FOR CHECKING? 3
SHOULD I RE-TRY THE VALUE WHICH FAILED FIRST? YES
WHAT PERCENT ERROR IS ACCEPTABLE? 1
```

Starting with "TRY NO. 1" SIMON will concede that the program is apparently correct when it does three trial sets correctly. If an error is found, the next check will start with that try on which the error occurred. The result-(T) in this case-must be accurate to within one percent.

The instructor then provides any desired instructions to the student. After this he writes a solution program which will be used by the monitor as the "true" program.

```
TYPE IN YOUR INSTRUCTIONS
TYPE DONE WHEN FINISHED
*BEAD ON A WIRE
*(NOTE: XØ AND YØ MUST BE GREATER THAN OR EQUAL TO ZERO
*EXPRESS INFINITY AS 1Ø↑36)
*DONE

ENTER THE CORRECT PROGRAM NEXT USING PART 1Ø

→1Ø.1 THETA=ATN(XØ,YØ),S=SQRT(YØ↑2+XØ↑2),ACC='G*SIN(THETA)'
→1Ø.2 T=SQRT(2*S/ACC) IF YØ<>Ø
→1Ø.3 T=1Ø↑36 IF YØ=Ø
→1Ø.4 TYPE T
```

Thus, describing a problem to SIMON is seen to be a straightforward task. This holds true for relatively complex problems.[2]

---

(2) Feurzeig, W., *Computer Systems for Teaching Complex Concepts* Final Report, Office of Naval Research, Contract NONR 4340(00), March 1969, No. AD684831, Defense Documentation Center, Alexandria, Va.

6. Some Teaching Applications

A student can use a programming language like Telcomp to investigate a mathematical or physical process experimentally. The following typescript is an example of this kind. The student interacts with a program simulating a missile trajectory problem, converging to the solution in a series of trials with successively improved estimates. (His inputs are underscored.)

```
YOU ARE IN COMMAND OF A GROUND-TO-AIR MISSILE WHOSE JOB IS TO
BRING DOWN AN ENEMY TARGET.

AFTER YOU GIVE THE REQUIRED INFORMATION (ALL IN FEET, PLEASE)
WATCH THE PROGRESS OF THE MISSILE ON THE RADAR SCREEN.  THE
'.' REPRESENTS THE MISSILE.  THE '*' IS THE SHADOW OF THE TARGET
AND '[ ]' IS THE TARGET ITSELF.

WHAT IS THE DIAMETER OF THE TARGET? 1Ø
HOW FAR AWAY IS THE TARGET? 5ØØ
WHAT IS ITS ALTITUDE? (BETWEEN Ø AND 2ØØ) 5Ø
WHAT IS THE VELOCITY (IN FT/SEC) OF THE MISSILE? 3ØØ
AT WHAT ANGLE IS THE MISSILE TO BE SHOT? (IN DEGREES) 45

THE MISSILE WILL REACH THE TARGET ZONE IN 2.357Ø23 SECS
THE TIME INTERVAL ON THE RADAR SCREEN WILL BE .2357Ø23


TIME  (Ø FEET)                                              (2ØØ FEET)
Ø          (              *                                  )
  .24      (             .*                                  )
  .47      (              *                                  )
  .71      (              *                                  )
  .94      (              *                                  )
1.18       (              *                                  )!
1.41       (              *                                  )!
1.65       (              *                                  )!
1.89       (              *                                  )!
2.12       (              *                                  )!
2.36       (           [  ]                                   !
SORRY, YOU MISSED BY 267.2222 FEET.
```

```
WE'RE LOADING UP A NEW MISSILE TO USE ON THE SAME TARGET.
WHAT IS THE VELOCITY (IN FT/SEC) OF THE MISSILE? 3ØØ
AT WHAT ANGLE IS THE MISSILE TO BE SHOT? (IN DEGREES) 2Ø

THE MISSILE WILL REACH THE TARGET ZONE IN 1.77363 SECS
THE TIME INTERVAL ON THE RADAR SCREEN WILL BE .177363


TIME  (Ø FEET)                                                  (2ØØ FEET)
Ø          (                 *                                      )
 .18       (    .            *                                      )
 .35       (         .       *                                      )
 .53       (              .  *                                      )
 .71       (                 *.                                     )
 .89       (                 *   .                                  )
1.Ø6       (                 *      .                               )
1.24       (                 *         .                            )
1.42       (                 *         .                            )
1.6        (                 *            .                         )
1.77       (               [   ]          .
SORRY, YOU MISSED BY 26.32Ø73 FEET.
```

```
WE'RE LOADING UP A NEW MISSILE TO USE ON THE SAME TARGET.
WHAT IS THE VELOCITY (IN FT/SEC) OF THE MISSILE? 3ØØ
AT WHAT ANGLE IS THE MISSILE TO BE SHOT? (IN DEGREES) 15

THE MISSILE WILL REACH THE TARGET ZONE IN 1.72546 SECS
THE TIME INTERVAL ON THE RADAR SCREEN WILL BE .172546


TIME  (Ø FEET)                                                  (2ØØ FEET)
Ø          (                 *                                      )
 .17       (    .            *                                      )
 .35       (         .       *                                      )
 .52       (              .  *                                      )
 .69       (                 *                                      )
 .86       (                 *.                                     )
1.Ø4       (                 .*                                     )
1.21       (                 .*                                     )
1.38       (                 .*                                     )
1.55       (                 . *                                    )
1.73       (               .[   ]
SORRY, YOU MISSED BY 6.296228 FEET.
```

```
WE'RE LOADING UP A NEW MISSILE TO USE ON THE SAME TARGET.
WHAT IS THE VELOCITY (IN FT/SEC) OF THE MISSILE? 3ØØ
AT WHAT ANGLE IS THE MISSILE TO BE SHOT? (IN DEGREES) 16.5

THE MISSILE WILL REACH THE TARGET ZONE IN 1.738248 SECS
THE TIME INTERVAL ON THE RADAR SCREEN WILL BE .1738248

TIME  (Ø FEET)                                          (2ØØ FEET)
Ø          (                *                           )
 .17       (   .            *                           )
 .35       (       .        *                           )
 .52       (           .    *                           )
 .7        (               . *                          )
 .87       (                .*                          )
1.Ø4       (                 *.                         )
1.22       (                 *.                         )
1.39       (                 *.                         )
1.56       (                 *.                         )
1.74       (              [ .]

CONGRATULATIONS! A DIRECT HIT!

←
```

In his use of this program, a student might have been guessing randomly or he might have been making estimates in a systematic way. Possibly his successive inputs were obtained from a bounding procedure independent of any thinking about the physics of the trajectory problem. Was he merely keeping one of his two variables, the velocity, fixed while systematically varying the other until the error became null? Or was he building and testing a mathematical model of the underlying physical process?

One way to find out is to teach him to write his own programs in Telcomp and then assign him the problem of writing the trajectory program himself. Since we really are more interested that he succeed in doing this than that we succeed in understanding his original estimation procedure, we have extended his capability

by embedding Telcomp in a program that allows him to check his evolving program against a "true" model. In brief, that is how SIMON was designed.

SIMON has been used experimentally with problems in mathematics, physics, engineering, and biology. In some of these applications the student's initial task has been successively developed and extended in a series of problems. Thus, for example, trajectory problems, such as the one just discussed, are complicated first by requiring an estimate of the impact point, then by making the time of release a variable under control of the student, and finally by incorporating winds.

Similarly, in a chemostat problem in biochemistry, the student's first task is to develop a model for describing the differential change in nutrient in the system and also the differential change in the bacterial density with time. In a subsequent problem, the chemostat system contains two strains of bacteria having the same maximum growth rate but requiring different amounts of nutrient to obtain this rate. The student is asked to compute the two differentials again, but for the mutant strain as well as the original strain.

The student using SIMON is ordinarily given two sources of information: a statement describing the problem or process to be programmed, and a "good" program to use for further investigating the process and for checking against his own program. This standard use of SIMON can be varied in the following three ways.

(1) The student is given the "good" program without a corresponding description of the process it represents. He tries to

determine the process by experimenting with the program, even though the intended function to be performed by the process is unspecified. The student may merely be told, for example, that the program describes an electrical circuit or a hydraulic system. His study situation is analogous to the "black box" problem in classical physics. It is similar also to some function guessing games in mathematics where one tries to determine a function by asking for its values corresponding to particular values of its variables. (Thus, if the hidden function is $f(x,y) = x^y - y^x$, the input x=2, y=3 results in the output -1.) Such mathematical games suggested the initial structure of SIMON and its first applications were of this kind.

(2) The student is given a "bad" program (a program with errors or "bugs") instead of a "good" one. Further, he is permitted to look at the instructions comprising the program (not merely to run the program as in the standard use of SIMON). His task is to debug the program, to change it into a valid description of the process. The SIMON monitor has a valid version of the program which it uses to check and critique the student's work.

(3) The student assumes the role of an instructor and inputs a problem to SIMON. Young students find particularly rewarding the task of preparing problems and tests for their peers. In so doing, they often become more aware about important problems of teaching and learning such as identifying, detecting, and diagnosing errors.

6. Summary

The SIMON monitor is an experimental system created mainly to help gain an understanding of the problems of building programs

for diagnosing learning difficulties. We had previously constructed an instructional monitor especially tailored for use with more specific problems, i.e., the simulation and modeling of certain types of dynamic physical systems.[3] Monitors can be expressly built around problems in a number of areas vastly different from the ones treated there. Thus, we have recently designed and implemented a problem-oriented instructional monitor around a class of problems involving the task of flying an airplane "blindly" (i.e., by instruments), and similar monitors can be constructed around operational tasks in areas such as navigation, maneuvering, and controlling.

The SIMON system represents a somewhat different approach to diagnostic monitoring. SIMON is embedded in a procedure-oriented (as distinct from a special task or problem-oriented) framework. The SIMON monitor, and the student using it, employ a general programming language. A fundamental limitation of this approach is apparent from the start -- the problem of writing a program which can "understand" other programs in some reasonable sense is a recursively unsolvable problem. But a monitor can be useful for teaching even though it is unable to decide whether two programs are formally equivalent. Although the prototypical diagnostic capabilities of SIMON -- like finding out whether a student's program works and, if not, checking for appropriate inputs and outputs -- are rather modest, this work is just starting and the early exploration has clearly shown directions in which some further useful capabilities can be developed. For

---

(3) R. C. Rosenberg, W. Feurzeig, P. Wexelblat, "The ENPORT Monitor" IEEE Trans. Man-Machine Systems.

example, the monitor can look for differences between its program and the student's in the overall behavior of the output variables as a function of the inputs. Thus, it could report to the student that activity should increase with temperature; that there was another case to consider in addition to that of a repulsive gravitation force; and so forth. Even this relatively straightforward extension of SIMON would considerably enhance its diagnostic power, and its value as a teaching instrument.

Acknowledgments

Philip Faflick and Richard Grant of BBN contributed to the design, programming, debugging, and application of SIMON.

The research was supported in part by the U. S. Office of Naval Research under Contracts NONR 4340(00) and N00014-69-C-0127.

OFFICE OF NAVAL RESEARCH

PERSONNEL AND TRAINING RESEARCH PROGRAMS (CODE 458)

DISTRIBUTION LIST

4 Chief of Naval Research
Code 458
Department of the Navy
Arlington, Virginia 22217

Director
ONR Branch Office
495 Summer Street
Boston, Massachusetts 02210

Director
ONR Branch Office
219 South Dearborn Street
Chicago, Illinois 60604

Director
ONR Branch Office
1030 East Green Street
Pasadena, California 91101

6 Director, Naval Research Laboratory
Washington, D. C. 20390
ATTN: Library, Code 2029 (ONRL)

Office of Naval Research
Area Office
207 West Summer Street
New York, New York 10011

Office of Naval Research
Area Office
1076 Mission Street
San Francisco, California 94103

6 Director
Naval Research Laboratory
Washington, D. C. 20390
ATTN: Technical Information Division

20 Defense Documentation Center
Cameron Station, Building 5
5010 Duke Street
Alexandria, Virginia 22314

Commanding Officer
Service School Command
U. S. Naval Training Center
San Diego, California 92133

3 Commanding Officer
Naval Personnel and Training Research Laboratory
San Diego, California 92151

Commanding Officer
Naval Air Technical Training Center
Jacksonville, Florida 32213

Dr. James J. Regan, Code 55
Naval Training Device Center
Orlando, Florida 32813

Technical Library
U. S. Naval Weapons Laboratory
Dahlgren, Virginia 22448

Research Director, Code 06
Research and Evaluation Dept.
U. S. Naval Examining Center
Building 2711 - Green Bay Area
Great Lakes, Illinois 60088
ATTN: C. S. Winiewicz

Chairman
Behavioral Science Department
Naval Command and Management Div.
U. S. Naval Academy
Luce Hall
Annapolis, Maryland 21402

Dr. A. L. Slafkosky
Scientific Advisor (Code AX)
Commandant of the Marine Corps
Washington, D. C. 20380

Chief
Naval Air Technical Training
Naval Air Station
Memphis, Tennessee 38115

Director
Education and Training Sciences
Department
Naval Medical Research Institute
National Naval Medical Center
Building 142
Bethesda, Maryland 20014

LCDR J. C. Meredith, USN (Ret.)
Institute of Library Research
University of California
Berkeley, California 94720

Commander
Operational Test & Evaluation
Force
U. S. Naval Base
Norfolk, Virginia 23511

Office of Civilian Manpower
Management
Technical Training Branch
(Code 024)
Department of the Navy
Washington, D. C. 20390

Chief of Naval Operations,
(Op-07TL)
Department of the Navy
Washington, D. C. 20350

Chief of Naval Material (MAT 031M)
Room 1323, Main Navy Building
Washington, D. C. 20360

Mr. George N. Graine
Naval Ship Systems Command
(SHIPS 03H)
Department of the Navy
Washington, D. C. 20360

Chief
Bureau of Medicine and Surgery
Code 513
Washington, D. C. 20390

9 Technical Library (Pers-11b)
Bureau of Naval Personnel
Department of the Navy
Washington, D. C. 20370

3 Personnel Research and Development
Laboratory
Washington Navy Yard,
Building 200
Washington, D. C. 20390
ATTN: Library, Room 3307

Commander
Naval Air Systems Command
Navy Department, AIR-4132
Washington, D. C. 20360

Commandant of the Marine Corps
Headquarters, U. S. Marine Corps
Code A01B
Washington, D. C. 20380

Technical Library
Naval Ship Systems Command
Main Navy Building
Room 1532
Washington, D. C. 20360

Mr. Philip Rochlin, Head
Technical Library Branch
Naval Ordnance Station
Indian Head, Maryland 20640

Library, Code 0212
Naval Postgraduate School
Monterey, California 93940

Technical Reference Library
Naval Medical Research Institute
National Naval Medical Center
Bethesda, Maryland 20014

Technical Library
Naval Ordnance Station
Louisville, Kentucky 40214

Naval Undersea Research and
Development Center
3202 East Foothill Boulevard
Pasadena, California 91107
ATTN: Code 161

Commanding Officer
U. S. Naval Schools Command
Mare Island
Vallejo, California 94592

Scientific Advisory Team (Code 71)
Staff, COMASWFORLANT
Norfolk, Virginia 23511

Education & Training Developments Staff
Personnel Research & Development Laboratory
Washington Navy Yard
Building 200
Washington, D. C. 20390

Dr. Don H. Coombs, Co-Director
ERIC Clearinghouse
Stanford University
Palo Alto, California 94305

ERIC Clearinghouse on
Educational Media and Technology
Stanford University
Stanford, California 94305

ERIC Clearinghouse on Vocational and Technical Education
The Ohio State University
1900 Kenny Road
Columbus, Ohio 43210
ATTN: Acquisition Specialist

LTCOL F. R. Ratliff
Office of the Assistant Secretary of Defense (M&RU)
The Pentagon, Room 3D960
Washington, D. C. 20301

Dr. Ralph R. Canter
Military Manpower Research Coordinator OASD (M&RA) MR&U
The Pentagon, Room 3D960
Washington, D. C. 20301

Deputy Director
Office of Civilian Manpower Management
Department of the Navy
Washington, D. C. 20390

Chief, Naval Air Reserve Training
Naval Air Station
Box 1
Glenview, Illinois 60025

Technical Library
Naval Training Device Center
Orlando, Florida 32813

Director
Human Resources Research Organizatio
300 North Washington Street
Alexandria, Virginia 22314

Human Resources Research Organizatio
Division #1, Systems Operations
300 North Washington Street
Alexandria, Virginia 22314

Human Resources Research Organizatio
Division #3, Recruit Training
Post Office Box 5787
Presidio of Monterey, California 93940
ATTN: Library

Human Resources Research Organizatio
Division #4, Infantry
Post Office Box 2086
Fort Benning, Georgia 31905

Human Resources Research Organizatio
Division #5, Air Defense
Post Office Box 6021
Fort Bliss, Texas 79916

Human Resources Research Organizatio
Division #6, Aviation
Post Office Box 428
Fort Rucker, Alabama 36360

Commandant
U.S. Army Adjutant General School
Fort Benjamin Harrison
Indiana 46216
ATTN: ATSAG-EA

Director of Research
U. S. Army Armor Human
Research Unit
Fort Knox, Kentucky 40121
ATTN: Library

Armed Forces Staff College
Norfolk, Virginia 23511
ATTN: Library

Director
Behavioral Sciences Laboratory
U. S. Army Research Institute of
Environmental Medicine
Natick, Massachusetts 01760

Chief, Training and Development
Division
Office, Deputy Chief of Staff
for Personnel
Department of the Army
Washington, D. C. 20310

Division of Neuropsychiatry
Walter Reed Army Institute of
Research
Walter Reed Army Medical Center
Washington, D. C. 20012

Behavioral Sciences Division
Office of Chief of Research
and Development
Department of the Army
Washington, D. C. 20310

Director
Air University Library
Maxwell Air Force Base
Alabama 36112
ATTN: AUL-8110

Headquarters, Electronic Systems
Division
ATTN: Dr. Sylvia Mayer / ESMDA
L. G. Hanscom Field
Bedford, Massachusetts 01730

Commandant
U. S. Air Force School of
Aerospace Medicine
ATTN: Aeromedical Library (SMSL-4)
Brooks Air Force Base, Texas 78235

AFHRL (TR/Dr. G. A. Eckstrand)
Wright-Patterson Air Force Base
Ohio 45433

Personnel Research Division(AFHRL)
Lackland Air Force Base
San Antonio, Texas 78236

AFOSR(SRLB)
1400 Wilson Boulevard
Arlington, Virginia 22209

Headquarters, U. S. Air Force
Chief, Personnel Research and
Analysis Division (AFPDPL)
Washington, D. C. 20330

Headquarters, U. S. Air Force
AFPTRBD
Programs Resources and Technology
Division
Washington, D. C. 20330

AFHRL (HRTT/Dr. Ross L. Morgan)
Wright-Patterson Air Force Base
Ohio 45433

Dr. Alvin E. Goins, Executive Sec'y
Personality and Cognition Research
Review Committee
Behavioral Sciences Research Branch
National Institute of Mental Health
5454 Wisconsin Avenue, Room 10A02
Chevy Chase, Maryland 20015

Office of Computer Information
Center for Computer Sciences and Technology
National Bureau of Standards
Washington, D. C. 20234

2 Executive Secretariat
Interagency Committee on Manpower Research
111 Twentieth Street, N.W.
Room 251-A
Washington, D. C. 20036

Mr. Joseph J. Cowan, Chief
Psychological Research Branch (P-1)
U. S. Coast Guard Headquarters
400 Seventh Street, S. W.
Washington, D. C. 20226

Executive Officer
American Psychological Association
1200 Seventeenth Street, N. W.
Washington, D. C. 20036

Dr. Bernard M. Bass
University of Rochester
Management Research Center
Rochester, New York 14627

Mr. Edmund C. Berkeley
Computers and Automation
815 Washington Street
Newtonville, Massachusetts 02160

Dr. Donald L. Bitzer
Computer-Based Education Research Laboratory
University of Illinois
Urbana, Illinois 61801

Dr. C. Victor Bunderson
Computer Assisted Instruction Laboratory
University of Texas
Austin, Texas 78712

Dr. Lee J. Cronbach
School of Education
Stanford University
Stanford, California 94305

Dr. F. J. DiVesta
Pennsylvania State University
320 Rackley Building
University Park, Pennsylvania 16802

Dr. Robert Dubin
Graduate School of Administration
University of California
Irvine, California 02650

Dr. Philip H. DuBois
Department of Psychology
Washington University
Lindell & Skinker Boulevards
St. Louis, Missouri 63130

Dr. Marvin D. Dunnette
University of Minnesota
Department of Psychology
Elliot Hall
Minneapolis, Minnesota 55455

Mr. Wallace Feurzeig
Bolt Beranek and Newman Inc.
50 Moulton Street
Cambridge, Massachusetts 02138

S. Fisher, Research Associate
Computer Facility
Graduate Center
City University of New York
33 West 42nd Street
New York, New York 10036

Dr. John C. Flanagan
American Institutes for Research
Post Office Box 1113
Palo Alto, California 94302

Dr. Robert Glaser
Learning Research and Development Center
University of Pittsburgh
Pittsburgh, Pennsylvania 15213

Dr. Albert S. Glickman
American Institutes for Research
8555 Sixteenth Street
Silver Spring, Maryland 20910

Dr. Bert Green
Department of Psychology
Johns Hopkins University
Baltimore, Maryland 21218

Dr. Duncan N. Hansen
Center for Computer Assisted Instruction
Florida State University
Tallahassee, Florida 32306

Dr. M. D. Havron
Human Sciences Research, Inc.
Westgate Industrial Park
7710 Old Springhouse Road
McLean, Virginia 22101

Dr. Carl E. Helm
Department of Educational Psychology, Graduate Center
City University of New York
33 West 42nd Street
New York, New York 10036

Dr. Albert E. Hickey
Entelek, Incorporated
42 Pleasant Street
Newburyport, Massachusetts 01950

Dr. Robert R. Mackie
Human Factors Research, Inc.
Santa Barbara Research Park
6780 Cortona Drive
Goleta, California 93017

Dr. Richard Myrick, President
Performance Research, Inc.
919 Eighteenth Street, N. W.
Suite 425
Washington, D. C. 20036

Dr. Gabriel D. Ofiesh
Center for Educational Technology
Catholic University
4001 Harewood Road, N. E.
Washington, D. C. 20017

Mr. Luigi Petrullo
2431 North Edgewood Street
Arlington, Virginia 22207

Dr. Len Rosenbaum
Psychology Department
Montgomery College
Rockville, Maryland 20852

Dr. Arthur I. Siegel
Applied Psychological Services
Science Center
404 East Lancaster Avenue
Wayne, Pennsylvania 19087

Dr. Paul Slovic
Oregon Research Institute
Post Office Box 3196
Eugene, Oregon 97403

Dr. Arthur W. Staats
Department of Psychology
University of Hawaii
Honolulu, Hawaii 96822

Dr. Benton J. Underwood
Department of Psychology
Northwestern University
Evanston, Illinois 60201

Dr. John Annett
Department of Psychology
Hull University
Hull
Yorkshire, England

Dr. M. C. Shelesnyak
Interdisciplinary Communications Program
Smithsonian Institution
1025 Fifteenth Street, N. W.
Suite 700
Washington, D. C. 20005

Dr. Joseph W. Rigney
Behavioral Technology Laboratories
University of Southern California
University Park
Los Angeles, California 90007

Educational Testing Service
Division of Psychological Studies
Rosedale Road
Princeton, New Jersey 08540

Dr. Harold Gulliksen
Department of Psychology
Princeton University
Princeton, New Jersey 08540

Dr. George E. Rowland
Rowland and Company, Inc.
Post Office Box 61
Haddonfield, New Jersey 08033

Dr. Mats Bjorkman
University of Umea
Department of Psychology
Umea 6, SWEDEN

Dr. Howard H. Kendler
Department of Psychology
University of California
Santa Barbara, California 93106